

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A method, comprising:

determining an input image from a signal comprising images
from a plurality of cameras;

determining input image information from the input image;

- 5 matching ~~an~~ the input image with one of a plurality of
states, ~~the input image determined from a signal comprising images~~
~~from a plurality of cameras~~ by comparing the input image
information with state image information corresponding to each of
at least one state; and

- 10 assigning the input image to one of the states when the
input image information matches the state image information of the
one state,
wherein the step of comparing comprises the sub-steps of:

determining if at least one state exists; and

- 15 adding a new state that corresponds to the input image
when at least one state does not exist,
and wherein the step of assigning comprises the step of:

assigning the input image to the new state.

- 2-3. (Cancelled).

4. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein→

the step of comparing comprises the step of:

_____ when the input image information does not match any of the
5 information for each of the at least one states, adding a new state
that corresponds to the input image→,

and wherein

the step of assigning comprises the step of:

_____ assigning the input image to the new state.

5. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein the at least one state comprises a plurality of states, and
wherein the method further comprises the step of performing
training to determine the plurality of states.

6. The method ~~of~~ as claimed in claim 21, wherein said method
further ~~comprising~~ comprises the step of:
_____ outputting the input image, the input image output as
being associated with the one state.

7. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein the images on the signal are determined asynchronously.

8. (Currently Amended) The method ~~of~~ as claimed in claim 7,
wherein said method further comprising comprises the step of:
_____multiplexing the images onto the signal, the multiplexing
step of multiplexing being performed wherein a sequence of switching
5 between cameras is not predetermined.

9. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein the images on the signal are determined synchronously.

10. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein said method further comprising the steps of:

outputting the input image, the step of outputting
associating the input image with the one state;

5 determining if an event is occurring on the input image,
the step of determining comparing previous images associated with
the one state with a present image.

11. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein the input image information matches state image information
of the one state when a metric comparing the input image
information and the state image information of the one state falls
5 within a predetermined value.

12. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein:

the step of determining input image information from the
input image comprises ~~the step of~~ determining a histogram from the
5 input image;

the step of comparing comprises ~~the step of~~ comparing the
histogram of the input image with histograms corresponding to each
of at least one states; and

the step of assigning comprises ~~the step of~~ assigning the
10 input image to one of the states when the histogram of the input
image matches the histogram of the one state within a predetermined
error.

13. (Currently Amended) The method ~~of~~ as claimed in claim 21,
wherein:

the step of determining input image information from the
input image comprises ~~the step of~~ determining a plurality of
5 features from the input image;

the step of comparing comprises ~~the step of~~ comparing the
features of the input image with each of a plurality of features
corresponding to the at least one states; and

the step of assigning comprises ~~the step of~~ assigning the
10 input image to one of the states when the features of the input

image match the features of the one state within a predetermined error.

14. (Currently Amended) The method ~~of~~ as claimed in claim 13, wherein each of the states comprises a state of a Hidden Markov Model (HMM).

15. (Currently Amended) A system comprising:

a memory ~~that stores~~ for storing computer readable code;

and

a processor operatively coupled to said memory, said

5 processor configured to implement said computer readable code, said computer readable code ~~configured to~~ causing said processor to:

determine an input image from a signal comprising images from a plurality of cameras;

determine input image information from the input image;

10 compare the input image information with state image information corresponding to each of at least one states; and

assign the input image to one of the states when the input image information matches state image information of the one state, wherein in the comparing step, the computer readable code causes

15 the processor to:

determine if at least one state exists; and

_____ add a new state that corresponds to the input image when
at least one state does not exist,
and wherein the assigning step, the computer readable code causes
20 the processor to:
_____ assign the input image to the new state.

16. (Currently Amended) An article of manufacture comprising:
a computer readable medium having computer readable program code
means embodied thereon, said computer readable program code being
executable by a processor to performs acts comprising:

5 _____ determining an input image from a signal comprising images
from a plurality of cameras;
_____ determining input image information from the input image;
_____ comparing the input image information with state image
information corresponding to each of at least one states; and
10 _____ assigning the input image to one of the states when the
input image information matches state image information of the one
state,
wherein in the comparing step, the computer readable code causes
the processor to:
15 _____ determine if at least one state exists; and
_____ add a new state that corresponds to the input image when
at least one state does not exist,

and wherein the assigning step, the computer readable code causes
the processor to:

20 assign the input image to the new state.